

# Notice of Allowability

Application No.

10/798,013

Examiner

Que T. Le

Applicant(s)

SASAKI, HIROSHI

Art Unit

2878

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to \_\_\_\_\_.
2. ☒ The allowed claim(s) is/are 1-38.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Que T. Le  
Primary Examiner

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The title of the invention has been changed to: "Scanning laser microscope having a spectrum image positional correction".

The following is an examiner's statement of reasons for allowance: The prior art fails to teach a scanning laser microscope, among other features, comprising: a laser source; a dispersive element disperses light emitted from a sample and makes spectrum; an image formation element forming an image of spectrum made by the dispersive element; a photodetector for detecting light in each wavelength band being arranged in the spectral direction; at least one optical element selectively arranged between the sample and the dispersive element; and a correction portion for correcting a positional relationship of a position of the spectrum image which is displaced due to a change caused by switching the optical element. The prior art also fails to teach a scanning microscope, among other features, comprising: a laser source; a plurality of spectral beam splitters dividing emitted light from a sample into respective light in accordance with a plurality of wavelength band when irradiating the sample with the laser beam; a plurality of dispersive elements disperses to spectrums the respective light according to the wavelength band divided by the splitters; a plurality of image

formation elements each forms an image of the spectrums; a plurality of wavelength band extraction portions extract respective light in at least one wavelength band from the respective spectrums; a plurality of photodetectors; and a correction portion having stored correction quantities corresponding to each of the displacements of the spectrum image position relative to each of the beam splitters to control the rotation of the dispersive elements in accordance with the correction quantity relative to the spectral beam splitter when switched to this spectral beam splitter, and to correct the spectrum image positions relative to the wavelength band extraction portions.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

l) Yokoi 6,396,053 discloses a scanning microscope system having an array of light deflecting microelements.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Que T. Le whose telephone number is (571) 272-2438.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Porta, can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

A handwritten signature in black ink, appearing to read 'Que T. Le', with a horizontal line underneath.

Que T. Le

Primary Examiner